

Sales conditions

ORDERS

Order confirmations

Eventual changes or cancellation on current orders must be notified within 5 (five) days from the receipt of the order confirmation. In this case no expenses will be charged. If the change or cancellation are notified after 5 days, their costs will be charged. A new delivery date will be communicated.

Precautions

Cap Design SpA has the right to suspend deliveries when the economic conditions of the Customer are considered risky. In case of deferred payment, a not honoured invoice gives Cap Design SpA the authority to require the immediate payment of the remaining amount.

Payments

Payments have to be made directly to us. Payments made by a third party will be accepted only when authorised in writing by us. Interest in 3 points more than the official interest rate will run on the unpaid invoices on maturity and a draft at sight will be issued for the due amount without duty of notice to the client.

Custom colors

For any request regarding special colors, if accepted by Cap Design SpA, there will be a surcharge of 25%.

Packing

Packing in wooden crates or boxes, if not provided by us as standard, is calculated as follows:

wooden crates
210 \$ net for cbm
wooden box
510 \$ net for cbm

PRODUCTS

The firm has the right to make drawing and material changes to its own products without warning.

Guarantee

Cap Design SpA guarantees its products up to 2 years from delivery. The guarantee is valid exclusively for the use the product is intended to. Guarantee is declined automatically in case of misuse or improper use.

Claims

Every kind of claim will be accepted only within 8 (eight) days from the receipt of goods. Claims of evident and visible quality defects will be repaired or replaced only after approval by the manufacturer, maintaining the same good returns conditions as the original order.

Returns

Goods returns will be accepted only when authorised in writing by us and delivered in the original packing. Damages to the product caused by an inadequate packaging will authorise Cap Design SpA to charge the repairing costs to the Customer.

Tolerance

The colors of the full set of samples for lacquering, wood etc., are only indicative, being technically impossible to assure the fineness of color at a long distance. The finishings in matt and polish lacquer can present different tonalities of color depending on the lot of varnish. The finishings in wood can present different veins and colors lot to lot, and colors of the wood can change in time due to its natural maturity.

TRANSPORT

Upon receipt of the goods the Customer is in charge of counting the boxes and verifying their conditions. In case of damaged boxes or missing items please notify on transportation bill and send a written notice to Cap Design. Receiving such information after that term, Cap Design reserves the right to charge additional costs to the Customer.

Delivery terms

Delivery term stated on the order confirmation is approximate and no penalties or responsibilities due to delayed delivery will be accepted. Fixed delivery date must be agreed in advance with Cap Design SpA.

PRICE LIST VALIDITY

This price list cancels and replaces the previous one and can be changed without notice.

COMPETENT COURT

Any dispute between the parties shall be brought in front of the Foro of Milan.

MATT / POLISH LACQUERS

- 01 white
- 46 magnolia
- 59 beige
- 60 desert
- 07 light gray
- 48 anthracite
- 04 black

MATT EXTRA / POLISH EXTRA LACQUERS

- 71 mud
- 93 straw yellow
- 78 pumpkin
- 45 chestnut brown
- 47 fog
- 10 dark gray
- 95 powder pink
- 96 terracotta
- 53 orange
- 94 brick red
- 55 red
- 54 bordeaux
- 84 aquamarine
- 81 jade
- 92 sage green
- 18 powder green
- 56 dark green
- 76 english green
- 77 petrol blue
- 91 sky blue
- 11 cloud
- 80 lapis
- 44 china blue
- 49 india blue

WOODS

- 133 natural oak
- 158 black-stained oak

- 113 bleached ash
- 116 oak-stained ash
- 112 black-stained ash
- 118 blue shanghai aniline stained ash

MARBLES

- 521 white carrara marble
- 528 gray roma marble
- 523 black marquinia marble
- 527 light straw-yellow travertine
- 526 green alps marble

Fabrics and leathers suitability

	A		A ₀	B		B ₀	C					D			E					E ₁	G	G ₂	V																
	Phill	Trame	Vancouver	Sorrento	Sorrento rigato	Ecopelle	Tremino Stretto	Vancouver	Ambro	Bielastico Color	Bielastico Optical	Brecon	Conda	Madrid	Oceanic	Vancouver	Baltimore Plus Eco	Hallingdal 2	Panno	Steelcut Trio	Delft Velvet	Dunmore Plaid	Hardwick Plaid	Hero 2	Ivyside Herringbone	Market Street Plaid	Veronnet	Zero	Chandigar	Pelle	Pelle Extra	Spotted leather	Artemidor	Pucci cotton / velvet	Hide				
SOFAS / ARMCHAIRS																																							
And	•	•				•	•	•		•			•	•	•		•	•	•					•	•				•	•	•								
Basket	•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
Big Sofa			•																																	•			
Cap Martin Sunset	•	•	•			•						•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•			
Capo	•	•				•																																	
Cuba 25	•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Cuba 25 Sofa-Bed	•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Dalia	•	•				•	•	•																															
Daybed	•	•	•			•	•	•																															
Drum						•			•	○																													
Elan	•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Elan 23	•	•	•			•	•	•				•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•	•		
Fronzoni '64						•																																	
Gambetta	•	•	•			•	•	•																															
Hiroi																																					•		
Hobo Contract	•	•				•																																	
Litos	•	•	•			•	•	•																														•	
Lotus (Attesa)	•	•	•			•																																	
Low Pad	•	•	•			•																																	
Lud'o Lounge	•	•	•			•																																•	
Newood Relax	•	•	•			•	•	•																														•	
Newood Relax Light	•	•	•			•	•	•																														•	
Oblong Plus	•	•	•			•	•	•																															
Orla	•	•	•			•																																	
Peg Armchair	•	•																																					
Rive Droite	•	•																																				•	
Serie 3088	•	•	•			•	•	•																															
Sofa with Arms	•	•	•			•	•	•	•																														
Spring	•	•	•			•	•	•																															
Sunset	•	•	•			•	•	•																														•	
Three Sofa de Luxe	•	•	•			•	•	•																															
Tube Chair																																							
Wanders' Tulip Armchair	•	•				•																																	
Cushions	•	•	•			•	•	•																															•
CHAIRS / STOOLS																																							
Bac	•	•	•			•																																	
Cap Chair 2																																						•	
Hi Pad	•	•	•			•																																	
Juli Soft	•	•				•																																	
Lotus (Low, Medium, High)	•	•	•			•																																	
Lud'ina	•	•	•			•																																•	
Morrison Stool	•	•	•			•																																	
Newood	•	•	•			•																																	
Newood Light	•	•	•			•																																	
O-Cap																																						•	
Peg Chair	•	•																																					
Ribbon	•	•	•			•																																	
S-Chair						•																																•	
San Siro	•	•	•			•																																	
San Siro Plus	•	•	•			•																																•	
Tate Soft	•	•	•			•																																	
BEDS																																							
Bed	•	•	•			•																																	
Peg Bed	•	•	•			•																																	
Superoblong Bed	•	•	•			•																																	

A₀ / B₀ outdoor fabrics

• Suitable / ○ Suitable only for some items - see product sheet

Fabrics and leathers - technical features

CAT.	FABRIC LEATHER	COMPOSITION	H cm	WEIGHT gr/sqmt	FADING	MARTINDALE	PILLING	WASHING INSTRUCTION	SHRINK	ECOLABEL OEKO-TEX	IMO	FIREPROOF
A	PHILL	32% PL 52% PP 10% VI 6% LI	140	286	4	18000			1%			
	TRAME	55% PL 45% AC	140	647	6	40000	4					
	VANCOUVER	100% CO	140	620		30000						
A ₀	SORRENTO	64% PP 36% PL	140	430		35000	5					
	SORRENTO RIGATO	64% PP 36% PL	140	430		35000	5					
B	ECOPELLE	87,5% PVC 12,5% CO	140									
	TRENTINO STRETTO	100% PL	145	310		100000						
	VANCOUVER	47% PC 22% PL 11% VI 20% CO	140	1000		40000						
B ₀	AMBRO	100% PP	140	485	7-8	30000	5					
C	BIELASTICO COLOR	80% PA 20% EA	150									
	BIELASTICO OPTICAL	100% PL	150									
	BRECON	43% LI 21% PC 11% WO 11% PL 7% CO 7% SE	140	450		40000						
	CORDA	100% CO	148	313		70000						
	MADRID	78% CO 22%VI	140	478		45000						
	OCEANIC	100% recycled PL	140	497		100000	3					
	VANCOUVER	36% CO 32% PL 26% PC 6% VI	142	900		25000						
D	BALTIMORA PLUS ECO	60% PA 25% PL 14% PU	130	410		50000						
	HALLINGDAL 2	70% WV 30% VI	130	612	5-7	100000	3					
	PANNO	100% WV	150	547	5-7	45000	3					
	STEELCUT TRIO	90% brushed WV 10% PA	140	550	5-7	100000	3-4					
E	DELFT VELVET	66% CO 31% VI 3% PL	137	442		50000						
	DUNMORE PLAID	70% WO 25% PA 5% AF	140	393		40000						
	HARDWICK PLAID	100% WO	150	313		25000						
	HERO 2	97% WV 3% recycled PA	140	414	5-7	45000	3-4					
	IVYSIDE HERRINGBONE	100% WO	140	335		20000						
	MARKET STREET PLAID	70% WO 25% PA 5% AF	140	393		40000						
	VERONNET	100% LI	136	230								
	ZERO	65% CO 20% PC 15% PL	140	74		70000						
E1	CHANDIGARH	68% PL 32% VI	144	487		40000						
G	PELLE		> 4.8 mq		5							
G2	PELLE EXTRA		> 4.5 mq		3							
V	SPOTTED LEATHER	shoulder cow hide 2,5 - 3 mm										
	HIDE	shoulder cow hide 2,5 - 3 mm aniline treatment										
	ARTEMIDOR	41% WP 41% WO 18% CO	140	860		36000						

Fabrics - washing instruction and fabric care

Symbols

	Symbols description and definition
	Washing
	Bleaching
	Ironing
	Dry cleaning
	Tumble dry
	Treatment not allowed The cross placed on any of the above treatments states that such treatment is not allowed.
	Moderate treatment The bar underneath the washing and the dry cleaning means that the treatment has to be more moderate compared of the treatment without the bar.
	Very moderate treatment The interrupted bar underneath the washing means that the treatment has to be very moderate at 40° C
	Ecolabel UE
	OEKO-TEX®
	IMO certified
	Fire resistant

Ironing

	Ironing - the iron indicates household ironing. High levels of temperature are indicated from 1, 2 or 3 points placed inside of the symbol.
	- ironing at hot temperature: 200°C
	- ironing at medium temperature: 150°C
	- ironing at low temperature: 110°C - vapor ironing can be dangerous
	- do not iron - steam ironing not allowed

Dry cleaning

	Dry cleaning - the circle indicates dry cleaning for textile items (leather and fur items excluded). It gives informations for dry cleaning operations.
	- dry cleaning with all solvents normally used in the dry cleaning, solvents indicated for P sign, trichloroethylene and 1.1.1-trichloroethane included
	- dry cleaning with tetrachloroethylene, monofluoro-trichloromethane, solvents indicated for F sign - regular washing treatments, without restrictions
	- dry cleaning with solvents indicated to the previous point - rigorous restrictions to the addition of water and/or stress action and/or washing and/or dry cleaning temperature - dry cleaning not allowed in launderette
	- dry cleaning with trifluorotrichloroethane, hydrocarbons (boiling point between 150° C and 200° C, inflammability point between 38° C and 60° C) - treatments of regular washing, without restrictions
	- dry cleaning with solvents indicated to the previous point - rigorous restrictions to the addition of water and/or stress action and/or washing and/or dry cleaning temperature - dry cleaning not allowed in launderette
	- dry cleaning not allowed - solvents not allowed

Washing instruction

	Temp. max	Action	Rinsing	Drying	Various
	95°	regular	regular	regular	
	95°	moderate	step by step decreasing temperature (for cold water step by step immersion)	moderate	
	70°	regular	regular	regular	
	60°	regular	regular	regular	
	60°	moderate	step by step decreasing temperature (for cold water step by step immersion)	moderate	
	50°	moderate	step by step decreasing temperature (for cold water step by step immersion)	moderate	
	40°	regular	regular	regular	
	40°	moderate	step by step decreasing temperature (for cold water step by step immersion)	moderate	
	40°	hVtk _ aVWdSFw	dWg'Sd	dWg'Sd	Va`af i d' Y agf
	30°	hVtk _ aVWdSFw	dWg'Sd	_ aVWdSFw	
	40°	- ZS`Vi SeZ`a`k - `a`_SUZ`[W SeZ`[Y - ZS`VW [fZ LSdW			
		- Va`afi S'Wdi SeZ - [XVS`bi ZS`VW [fZ LSdW			
		4`VBLZ`[Y - fZWdS` YW` V[LSVdLZ`ad` W`VBLZ`[Y fd'bf` W f			
		S`ai W`Za`k V`grW`i [fZ Ld`V`i S'Wd			
		`af S`ai W`			

6dk` Y

	Fg_ T`Wck - fZVU[d]V` eLj`TW` [fZVdCgSdM` V[LSVdfg_ T`Wck S'WdS i SeZ`[Y abVdS`[a`z` [YZ`M`W`aXVd`[Y efd`WdSdM` V[LSVW`Xb`_ # ad\$ba` fe b`SUW`[e[VWdXfZVdK`_ Ta`^
	- Va`af eb`[Z`ck
	- fg_ T`Wck S`ai W` - dWg'SdVd` bdbYdS`_ W`
	- fg_ T`Wck S`ai W` - _ aVWdSFw`k bdbYdS`_ W`
	- fg_ T`Wck` af S`ai W`
	- f` Wck/ZS` YWfi

Outdoor

	i S'WdW`VWV`f S` V`efS` Z`bdaX
	_ a`V`d`efS` f`
	Ld`adXef` V`de
	Td`fZS`T`W`
	Vd`ek fa UVS`